

Serving Imagery and Raster Data with ArcGIS Server

*AGIC 2009 Technical Workshop
David Vaillancourt - ESRI*




Workshop Agenda

- Imagery and ArcGIS
- Image service—data, publishing, and access
- Image service ArcGIS layer properties
- Image service clients
- ArcGIS Server—Image Extension
- Authoring, managing, using image service definitions

Growth of Imagery

- Huge volumes of imagery exist
- Volumes growing exponentially
- Multiple sources:
 - Satellites, digital aerial cameras, scanned film & maps
- Increasing image depth:
 - Resolution
 - Greater bit depths (8-12bit)
 - More bands (3,4,8,9,Hyperspectral)
- Increasingly inexpensive
- Problem has been accessibility!



ArcGIS Server Family

Imagery is an integral part of a complete GIS

- Use**
- Many Clients

Serve

- Author / Manage**
- Desktop




Image service—data, publishing, and access

What is an Image Service?

- Image service—an image or raster dataset, made available by a server to a client application.





Image Service Source Data

- **Raster dataset**
 - from a geodatabase, ArcSDE, or file on disk
- **Raster dataset layer**
- **Compiled image service definition**
 - containing one or more raster datasets and defined processes
 - created using the Image extension




Publishing Image Services

- **ArcGIS Server**
 - raster dataset
 - raster dataset layer
- **ArcGIS Server + ArcGIS Image extension**
 - raster dataset
 - raster dataset layer
 - *.ISDef
- **Image extension (stand-alone)**
 - *.ISDef

Image Service Capabilities

- Imaging
- WMS (OGC web mapping service) service
- WCS (OGC web coverage service) service

OGC: Open Geospatial Consortium



Demo:
Publishing and accessing image services




The Image Service Layer

- Similar to a raster dataset layer
- Familiar Layer Properties dialog box
- Raw pixel values are transmitted
- DEMs can be used as an ArcGlobe surface
- Image service layer can be used in a geoprocessing tool
- Can export source data, not just rendered image

Image Service Layer Properties

- Layer Properties dialog box is consistent between any type of image service and raster dataset
- 5 tabs (for all image services):
 - General
 - Source
 - Extent
 - Display
 - Symbology
- 2 additional tabs (if published from an *.iscdef):
 - Mosaic
 - Metadata
- Source tab – displays data source as ArcGIS Image Service




The screenshot shows the 'Layer Properties' dialog box for an 'Image Service' layer. The 'General' tab is selected, displaying a table of properties and their values.

Property	Value
Image Service	
Columns and Rows	482803, 716160
Number of Bands	3
Cellsize (X, Y)	0.32808318, 0.32808318
Uncompressed Size	966.05 GB
Source Type	continuous
Pixel Type	unsigned integer
Pixel Depth	8 Bit
NoData Value	255
Extent	

Layer Properties: Display Tab


- Resampling methods
 - Nearest neighbor
 - Bilinear
 - Cubic convolution
 - Majority
- Basic display adjustments
 - Contrast
 - Brightness
 - Transparency



Layer Properties: Symbology Tab

User can change:

- Renderer
 - Stretched
 - RGB Composite
- Band combinations
- Stretch type
 - None
 - Standard deviations
 - Minimum-Maximum
- Gamma stretch



Data Export

- **Export data**
 - Extract pixels from an image service and write them to a local file





Image Server Clients



Using Image Services in ArcCatalog

- View available image services in ArcGIS Server connections
- Administrate image services (Create, Delete, Start, Stop, etc.)
- Create layers and set display properties




Using Image Services in ArcMap

- Access to image services supported through ArcGIS Server connections
- Image services behave much like other raster layers
- Rich user experience
- Image services can be stored in MXDs and served as layers in Map Services




Using Image Services in ArcGlobe

- Access to image services supported through ArcGIS Server connections
- Can be used as draped imagery or as elevation surfaces, depending on the data being served
- Same rich access to image service properties as supported in ArcMap



Using Image Services in Geoprocessing

- Image services can be used in Geoprocessing tools as raster data
- Pixels vs. Pictures—image service configurations
- Caveat—a “Make Layer” step is needed when running GP Models or GP Services




Using Image Services in ArcGIS Explorer

- ArcGIS Explorer 900 has support for Image Services via *.lyr files!
- Via Globe Services
- Make great base maps for AGX




ArcGIS Web Mapping Applications

- WMAs built with ArcGIS Server Manager directly support image services (added at 9.3.1)
- Wizard allows for quick and easy configuration of the application
- Little to no programming required



ArcGIS Server APIs (JavaScript, Flex, Silverlight)




OGC Capabilities

- **Web Map Service (WMS)**
 - Supported for “rendered” image services
 - Useful for imagery base maps
- **Web Coverage Service (WCS)**
 - Serves actual pixel information from source data
 - Supported in many image analysis and processing software packages
 - Useful for image analysis applications where full pixel depth (bits and bands) are required
- Configured as a capability of the image service while publishing a resource



Demo:
Using layer properties
Using Image Services in a variety of clients



ArcGIS Server Image Extension

Image Extension - ArcGIS Image Server

Maximizes the Value of Imagery

- Integrates directly with ArcGIS Server
- Enterprise wide image accessibility
 - Increases access and use
 - Very large image datasets
 - Within GIS, CAD, imaging, and Web applications
- Direct read of imagery in its native form
 - Simplifies data management
 - Reduces redundancy
 - Reduce delay in making imagery accessible
- On-the-fly server-based image processing
 - Serves multiple customized imagery products
 - From a single source
- End users get
 - Fast image access
 - Optimized to their requirements
 - Improved image quality
 - Important image metadata







Image Extension Paradigm


Combine Processing with Serving

- Keep imagery in native form
- Author image service definition (catalog)
 - Properties of images
 - Processing to be applied
 - Properties of the service
 - Generate service overviews (optional)
- Publish image service
- Client accesses service
 - Client defines area of interest
 - Server accesses and processes imagery
 - Required image transmitted to client
 - Client displays image



When to Use the Image Extension?


- When you:
 - Have multiple images
 - Do not wish to pre-mosaic
 - Need different image products
 - Exploit overlap (i.e. temporal)
 - Want image specific metadata
 - Fast authoring and updates




How to Author an Image Service Definition

- Toolbar in ArcMap
 - Define image service definition & properties
 - Add imagery or raster datasets
 - Derives footprints
 - Extracts metadata
 - Define processing
 - Optimize
 - Compile

An image service definition can contain raster datasets in various types, formats, geometry, or projections.



Authoring image service definitions



Footprint & Service Table

- **Footprint**
 - Polygon representing the extent of the valid pixel data in each image
 - Used to
 - Select rasters that intersect with client AOI
 - Clip pixels
- **Service Table**
 - contains the attributes for each footprint, including:
 - Source raster
 - Low and high pixel sizes
 - Minimum and maximum pixel sizes
 - Display order
 - Used to filter raster datasets to be processed depending on scale prior to mosaic







Image Service Editing: Footprint

Improved options to recompute footprints

- **By Geometry** ^{*New at 9.3}
 - useful for orthorectified raster datasets
- **By Radiometry** ^{*New at 9.3}
 - useful for data requiring a transparent boundary
- **By Clipping to Boundary** ^{*New at 9.3}
- **By Shrinking**
- **By Related Geometry** ^{*New at 9.3}
 - Useful for using footprints/polygons from elsewhere



Processes



- **Enhancing image appearance**
 - Stretching
 - Pan-sharpen
 - Convolution Filter
 - Trend
- **Band organization**
 - Extract Bands
 - Stack Bands
- **Displaying elevation**
 - Visualize Elevation
- **Geometric processing**
 - Affine, Warp Grid, etc.
 - Orthorectification
- **Applying algebra and extraction**
 - Classify pixel
 - Image Algebra
 - NDVI
 - Convert Pixel Type
 - Histogram
- **Changing output color**
 - Grayscale
 - Color Map
 - Spectral Matrix
 - Trend

Mosaicking methods

Reorder overlapping imagery

- Closest to Center
- Closest to Nadir
- Closest to Viewpoint
- By Attribute
- Most Northwest
- Seamline
- Lock Raster




Image Service Editing: Seamlines

- Options to generate seamlines:
 - By Radiometry ^{*New at 9.3}
 - Examines overlapping raster datasets and intelligently creates a seamline to follow natural patterns between the overlap
 - By Exporting Footprints
- Do not appear as overlapping polygons
 - Makes it easier to distinguish and edit them


Demo:

Authoring an image service definition, recompute footprints, and add service-level processes



General setup and configuration

- ArcGIS Server – regular setup
 - License level: Standard or Enterprise
- Configuring with Image extension
 - ArcGIS Server – regular setup
 - Image Extension – regular setup
 - Using Image Server Manager
 - Register Image extension with ArcGIS Server



Thanks for your attention!

David Vaillancourt - ESRI

